

<u>As of 27 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 29 May. Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are:

13 May and 3 June.

Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 27 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 29 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 13 May and 3 June.





https://phenocam.sr.unh.edu/webcam/sites/hubbardbrook/

As of 27 May 2020: Realized and forecast thermal sums for the year compared to expected thermal sums based on previous 60 years.



Main bird plot in the Hubbard Brook Forest (Weir 6, 550 m asl) on 17 May 2020



As of 19 May 2020, predicted dates for budburst and 90% completion of leaf expansion are: 22 May and 1 June. Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are:

14 May and 4 June.

Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 19 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 22 May and 1 June.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 14 May and 4 June.



As of 19 May 2020: Realized and forecast temperatures for the year compared to expected temperatures based on previous years



As of 19 May 2020: Realized and forecast temperatures for the year compared to expected temperatures based on previous years



Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 12 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 31 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 13 May and 4 June.





As of 12 May 2020, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 31 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 13 May and 4 June.

Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 7 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 31 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 13 May and 4 June.





As of 7 May 2020, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 31 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are:

13 May and 4 June.

As of 3 May 2020, Realized and forecast temperatures compared to expected temperatures based on previous years



Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 5 May 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 21 May and 31 May. Predicted median dates of Arrival and 1st clutch initiation by BTBW are:

13 May and 4 June.





As of 5 May 2020, predicted dates for budburst and 90% completion of leaf expansion are:

21 May and 31 May.

Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are: 13 May and 4 June.

Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 20 April 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 15 May and 26 May.

Predicted median dates of Arrival and 1st clutch initiation by BTBW are:

12 May and 1 June.





<u>As of 20 April 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 15 May and 26 May. Predicted median dates of Arrival and 1st clutch initiation by Black-throated Blue Warblers are:

12 May and 1 June.

Estimated leaf-out phenology for Main Bird Plot 2020 based on thermal sums. <u>As of 11 April 2020</u>, predicted dates for budburst and 90% completion of leaf expansion are: 13 May and 25 May.

Predicted median dates of Arrival and 1st clutch initiation by BTBW are:

12 May and 31 May.





- Budburst defines the beginning of annual activity in the green food web.
- The date of budburst in sugar maple and beech varies by up to four weeks among years (4 May to 2 June since 1957).
- The expected date has advanced by 7 days in 60 years.
- Best prediction model as of 2019: budburst at 179 °days > 4 °C after 21 March (modified from Lany et al. 2016).